CLAIMS

1	1) A method of acquiring, storing	g, retrieving and displaying a	a
2	medical diagnostic image comprisi	ing the steps of	

- a) acquiring said image having a first resolution, and
 translating said image to a predetermined digital format,
- b) storing said digitized image in a computer memory at a
 first location,
- 7 c) requesting said image from a user-operated terminal 8 having a predetermined resolution limit and located at a 9 second location,
- d) creating from said digitized image, at said first location, by means of a first algorithm, a patterned and compressed representation thereof,
- e) transmitting from said first location to said terminal a first portion of said stored patterned representation,
- f) reconstructing, at said terminal, by means of a second algorithm, from said first portion of said patterned representation, a first displayable representation of said diagnostic image, said first displayable representation having a second resolution no greater than said first resolution,
- g) displaying said displayable representation at said
 terminal,
- h) transmitting from said first location to said terminal an additional portion of said patterned representation,
- i) reconstructing, at said terminal, by means of a third algorithm, from said additional portion of said patterned representation, an improved displayable representation of said image, said improved displayable representation having a third resolution greater than said second resolution,
- j) repeating steps g), h) and i), thereby progressively
 increasing the resolution of said displayed representation
 until said displayed resolution attains the lesser of
- 33 said first resolution of said image or

- 34 said predetermined resolution limit of said terminal.
- 1 2) A method of Claim 1 including an additional step of
- 2 k) enhancing, by means of a fourth algorithm, said displayed
- 3 representation.
- 1 3) A method of Claim 2 wherein said fourth algorithm comprises
- 2 enhancing an edge contrast of said displayed representation.
- 1 4) A method of Claim 2 wherein said fourth algorithm comprises
- 2 enhancing a gray level contrast by means of gray level region
- 3 expansion.
- 1 5) A method of Claim 2 wherein said fourth algorithm comprises
- 2 differential gray level tracking and gray level enhancement.
- 1 6) A method of Claim 1 further comprising an additional step
- 2 after step g) of defining a sub-image of said visual
- 3 representation by means of a user-operated computer-interactive
- 4 device operatively connected to said terminal, and wherein said
- 5 subsequent reconstructions in step j) are directed at
- 6 reconstruction only of said sub-image.
- 7 7) A method of Claim 1 wherein said step of acquiring said image
- 8 and forming a digitized representation thereof further includes a
- 9 step of compressing said image by means of a run length
- 10 compression algorithm.
- 1 8) A method of Claim 1 wherein said first algorithm comprises a
- 2 hexagonal pattern classification.
- 1 9) A method of Claim 1 wherein said predetermined digital format
- 2 formed in step a) comprises a compressed digital image, and
- 3 wherein said first algorithm re-expands said compressed digital
- 4 image before forming said patterned and compressed representation
- 5 therefrom.
- 1 10) A method of Claim 1 wherein said step of acquiring said image
- 2 comprises scanning a diagnostic film.
- 1 11) A method of Claim 1 wherein said step of acquiring said image
- 2 comprises digitizing a video signal.
- 1 12) A method of Claim 1 wherein step a) further comprises
- 2 acquiring, with said diagnostic image, retrieval data uniquely
- 3 associating said image with a patient, and step b) further

- comprises storing said retrieval data in said computer memory.
- 1 13) A medical diagnostic image system comprising,
- 2 computer means storing a digital representation of said
- 3 diagnostic image having a first resolution,
- 4 remote terminal means having a predetermined resolution
- 5 limit,
- 6 telecommunication means linking said computer means and said
- 7 remote terminal means, said telecommunication means
- 8 comprising
- 9 means for creating from said digitized image, by means
- of a first algorithm, a patterned and compressed
- 11 representation thereof,
- means for transmitting from said computer to said
- terminal a plurality of portions of said stored
- 14 patterned representation,
- means for reconstructing at said terminal, by means of
- a second algorithm, from a first portion of said
- 17 plurality of portions, a first displayable
- 18 representation of said diagnostic image, said first
- 19 displayable representation having a second resolution
- no greater than said first resolution, and
- means for reconstructing, at said terminal, by means of
- 22 a third algorithm, from a second portion of said
- plurality of portions of said patterned representation,
- and said first displayable representation of said
- diagnostic image, a second displayable representation
- having a third resolution greater than said second
- 27 resolution but no greater than the smaller of said
- 28 first resolution and said predetermined resolution
- 29 limit, and
- means for displaying said representation at said terminal
- 31 means.
- 1 14) A system of Claim 13 further comprising means to enhance the
- gray scale of said image and means
- 3 to transmit from said computer to said terminal means a
- 4 first data block usable to reconstruct said image without

- 5 said enhancement, and
- 6 to transmit from said computer to said terminal means an
- 7 said incremental block usable to reconstruct said image with
- 8 said enhanced gray scale.
- 1 15) A system of Claim 14 wherein said means to enhance the gray
- 2 scale of said image includes logic means to enhance an edge
- 3 contrast of said image.
- 1 16) A system of Claim 14 wherein said means to enhance the gray
- 2 scale of said image includes logic means to enhance gray level
- 3 contrast by means of gray level region expansion.
- f 1 17) A system of Claim 14 wherein said means to enhance the gray
- 2 scale of said image includes logic means for differential gray
- 3 level tracking and gray level enhancement.
- 1 18) Apparatus of Claim 13 further comprising a user-operated
- 2 computer-interactive device operatively connected to said
- 3 terminal, said user-operated device defining a sub-image of said
- 4 visual representation, and wherein said third algorithm
- 5 reconstructs only said sub-image.
- 1 19) Apparatus of Claim 13 wherein said first algorithm comprises
- 2 a hexagonal pattern classification.
- 1 20) Apparatus of Claim 13 wherein said digital representation
- 2 comprises a compressed digital representation and said first
- 3 algorithm re-expands said compressed digital image before forming
- 4 said patterned and compressed representation thereof.
- 1 21) Apparatus of Claim 13 wherein said computer means further
- 2 stores retrieval data uniquely associating said image with a
- 3 patient.